

GARBAGE DISPOSAL AIR SWITCH KIT MODEL ASS62



ASS62 garbage disposal air switch button color

1)PVD treatment on brass surface (circular pattern) 2)Rose Gold (PVD Panel) 3)Nickel pated Brass
4)Brushed stainless steel 5)Black antique copper wire drawing (circular pattern) 6)Dot plated matte black

Features

ASS62 garbage disposal air switch kit is provided with a snap action switching for higher current capacity. It can be used together with air button for remote control purpose, which is widely used in food waste disposer, pumps for swimming pools and spas, hot tubs, sanitary equipment, medical equipment etc.

- Suitable for kitchen waste disposal, swimming pools, hot springs, cleaning equipment, etc
- Use as remote control device that works in conjunction with pneumatic buttons
- Only for indoor use

Technical parameter

General

Basic information

Gas tightness	Under 50 psi pressure, no leakage phenomenon
Pressure range	<1.8 psi
Air tube	Air tube length optional
Tests/Admissions	UL60730



Electrical overview

Switching load	15 A at 120 VAC
Dielectric strength	1500 V

Operating conditions


Temperature	Ambient:-10...+60°C[+14...+140°F]
-------------	-----------------------------------

Dimensiones in mm (in)



A: M28 short button

B: M32 short button




C: M25 long button*

D: M32 long button

Ordering information

Example part number: ASS62-ASA

Model ASS62 garbage disposal air switch kit, button type: M28 short button; button color: Nickel pated Brass, air tube length: 1m.



①

Name
ASS62

②

Button Type	
A	M28 short button
B	M32 short button
C	M25 long button*
D	M32 long button

③

Button Color	
B	PVD treatment on brass surface (circular pattern)
R	Rose Gold (PVD Panel)
S	Nickel pated Brass
G	Brushed stainless steel
B	Black antique copper wire drawing (circular pattern)
M	Dot plated matte black
O	Other colors can contact the factory

④

Air Tube Length	
A	1M
B	2M
C	3M
D	Other lengths can be customized

* This button is designed specifically for small hole countertops, with low air pressure and only compatible with 1-meter air pipes. If the length of the trachea exceeds this specification, the switch may not be activated.